











Highlights

- Powerful Thin Client Intel Atom based processor supporting most demanding user requirements
- DVI Video connectivity to digital monitors including dual display support
- Resolutions supported up to 1920x1200px (RB) @ 16M (32 bit) colors
- Manageable through various tools:
 - Microsoft SCCM (System Center Configuration Manager) enables, among other things, remote assessment, deployment, and updates of OS images to devices across physical, virtual, distributed, and mobile environments.
 - Microsoft WDS (Windows Deployment Server)
 enables remote deployment and updates of clients
 from a central location
 - Altiris deployment solution supported
- Flexible Can run a large variety of 32bit Clients and applications, local printing, various ICA/RDP/VDI, Terminal Emulation applications and more
- **Customizable** Fully customizable desktop interface and modular operating system to fit user needs
- Plug-and-Play Connectivity Fast, easy installation and deployment
- Data Integrity Centralized data storage and backup insures integrity and security
- Secured Enhanced Write Filter protection & File based Write Filter protection that prohibit writing to Flash
- Compact Weights as little as 0.6 Kg; easy to handle, ship, store, and install

EX-PC W7D47E1

The **EX-PC W7D47E1** is a top, high-performance Win7 Embedded-based device with a small foot print and low power consumption. It is the perfect workstation for users that require high-end functionality, including multiple displays and demanding applications.

The **EX-PC W7D47E1** displays Windows desktops, Web browsers and various applications for power users from any market vertical.


The **EX-PC W7D47E1** is specifically designed for server-based and desktop virtualization environments, supporting PXe boot and optionally internal wireless solutions.

The **EX-PC W7D47E1** supports digital video connectivity to LCD screens offering best-picture quality and user convenience.

The **EX-PC W7D47E1** is the smartest, most compact, Win7 Embedded thin client product on the market today functioning seamlessly with various OS platforms: Windows (Terminal Server Edition), Citrix, Legacy and VMware VDI/VDM/VMView. Coupled with unequalled management software, the **EX-PC W7D47E1** truly forms the thin client of choice.

Mechanical Layout/ Drawing

Specifications subject changed without notice.





Front Side View
1. Power Button / Power LED
2. LAN LED
3. Mic-in jack
4. Audio Line out jack
5. USB 2.0 port x 2
6. Cradle

Rear Side View 7.RJ-45 LAN port 8.USB 2.0 X 2 9.DVI-I 10.PS/2 K/B connector 11. DC Jack





EX-PC W7D47E1 Hardware Specification Table		
CPU	Intel Atom N270 1.6 GHz Dual Thread	
Memory	• 2 GB RAM	
Mass Storage	8 GB DOMUpgradable to 16/32 GB DOM	
Graphics	Intel 945GSE with Integrated Graphics Media Accelerator 950	
Display Support	Single Display & Dual Display: Up to 1920x1200 pixels @ 16M (32 bit) colors	
Enhanced Display Support	Widescreen 16:9 support	
Audio Support	 HD Audio CODEC Audio Output - 3.5 mm (1/8 inch) Audio-Out Jack; Audio Input - 3.5 mm (1/8 inch) Audio-In Jack 	
Input/Output	 DVI-I type video 4 USB (2 rear, 2 front) 1 PS/2 port 	
Status Lights	Power ONPower STBYLAN Link - Activity	
Network	10/100/1000 Fast Ethernet, twisted pair (RJ-45)WLAN (Optional)	
Power	Device input: 24W, DC 12V/2A external power adapter	
Physical Characteristics	 Dimensions: 36(W) x156(D) x122(H) Device weight: 0.6 Kg Shipping Weight: Per single pack – 1.5 Kg 	
Mounting	 Special base attachment VESA (optional, see Accessories) Anti Theft Lock (optional, see Accessories) 	
Enclosure Color	Black and Silver	
Environmental	 Temperature range: Operating - 0°C to 40°C (32°F to 104°F); Storage - 0°C to 60°C (32°F to 140°F) Humidity: Operating - 20 to 80% non condensing; Storage – 10 to 90% non condensing Altitude: 0 to 20,000 ft 	
Regulatory Compliance	Safety: UL/cUL60950,EN60 950EMI/EMC: FCC Class B, CE Mark, EN55022B	
Accessories	Visit our site at www.chippc.com for an updated list	
Warranty	1 year automatic Warranty, additional 2 years pending on product registration	






Firmware Specifications Table

Chip PC unique Thin Client Operating System architecture provides a fast, secure, customizable and manageable Operating System fully able to connect to any type of Terminal/Citrix/Legacy/Virtualization server

, ,	3 31	3 ,	
Operating system	Windows7 Embedded		
Applications/Clients	Integrated ICA 12 RDP 7.0 Outlook Express IE 8.0 full features VMware VMView 4.0.1 Windows Media Player 12 Flash Player 10 Ultra VNC NET Framework 3.5 Windows Update Agent	Optional SCCM2007 Anti Virus Firefox 2.x Browser VPN Client NX XClient JRE MS Viewers Jetro Cockpit Client ProPalms Client More 32 bit applications	
Server OS Compatibility	 Citrix XenServer, XenApp, XenDesktop Microsoft Windows Server 2000/2003/2008 Unix/Linux Servers VMware View Novell Netware Servers 		
Setup and Configuration	Multi-session supportFully customizable PC-like desktop interface		
Management Solutions	 Microsoft SCCM (System Center Configuration Manager) enables, among other things, remote assessment, deployment, and updates of OS images to devices across physical, virtual, distributed, and mobile environments. Microsoft WDS (Windows Deployment Server) enables remote deployment and updates of clients from a central location. Integration with Altiris Deployment Server (optional, license required) 		
Security - General	 Locked-down desktop that can be changed only by administrator Enhanced Write Protection Filter Security policy applied locally or through Active Directory GPO Built-in Microsoft Security Center Registry filter 		
Certificates	Import SSL certificates to the device for connecting to Citrix Secure gateway or websites requiring SSL		
Printers; Local and Network	Full support of both local and network printers: LPD,LPR, SMB, LPT, USB, COM		
Enhanced Display Support	Widescreen 16:9 support		

- Device package includes EX PC device, Cradle, Warranty Registration Card and User's Manual
- Monitor, keyboard and mouse to be purchased separately
- Software licenses to be purchased separately
- Above features are supported in latest firmware image version released
- Actual display support is dependent on display hardware and cable quality; some of the resolutions and display modes described above may not be supported by certain displays or cables
- Specifications are subjected to change without prior notice





The Company

Since its inception, Chip PC has been a world leader in server-centric-computing. A private company with branches in Europe and the U.S., Chip PC develops and manufactures, top notch, thin client technology and management systems.


Chip PC's team of dedicated researchers and developers have combined their years of experience to yield novel ideas and deliver an outstandingly innovative family of thin client products.

With the award winning Xcalibur Global management system and innovative thin client units, Chip PC maintains a leading market position with its end-to-end solution.

The End-to-End Solution

Chip PC is aimed at solving the thorny problem of combining intelligent thin client networking with sophisticated management and control. Chip PC's unique solution constructs a ground-up thin client network from the revolutionary Jack PC that fits into a standard wall jack, through the NG Series', state-of-the art, powerful, desktop units and miniature Plug PCs.

These server-centric, revolutionarily designed, units are comprehensively managed by Chip PC's Xcalibur Global. The Xcalibur Global Management System simulates an Active Directory environment with intelligent usage of its management principles of policies and tools and offers flexible management that applies down to the specific needs of every particular client unit or user.



© Chip PC Technologies, all rights reserved. Images for demonstration purposes only | 0911

Chip PC HQ

Tel: +972 (0) 4 8501121 e-mail: info@chippc.com

Chip PC UK

Tel: +44 (0) 7971 222232 e-mail: info@chippc.co.uk

Chip PC Inc US

Tel: +1 (0) 866-674-1678 e-mail: info.us@chippc.com

Chip PC France

Tel: +33 (0) 1 83 62 05 12 e-mail: info.fr@chippc.com Chip PC Germany

Tel: +49 (0)201 4389 05 - 0 e-mail: info@chippc.de